

# Basic Research in Cardiology

**Archiv für Kreislaufforschung**

**Official Journal of the German Association of Cardiovascular Research**

**Initiated by Bruno Kisch – Founded by Eberhard Koch –**

**Continued by Franz Loogen and Konrad Spang**

**Editors: R. Jacob, Tübingen; Th. Kenner, Graz; W. Schaper, Bad Nauheim**

---

## **Advisory Board**

C. M. Bloor, La Jolla  
H. J. Bretschneider, Göttingen  
N. S. Dhalla, Winnipeg  
S. Ebashi, Tokyo  
A. Fabiato, Richmond  
H. L. Fung, Buffalo  
W. Ganz, Los Angeles

W. Hasselbach, Heidelberg  
P. Y. Hatt, Limeil-Brévannes  
P. G. Hugenholtz, Rotterdam  
A. Maseri, London  
H. E. Morgan, Hershey  
M. Reiter, München  
R. Zak, Chicago

## **Editorial Board**

H. Antoni, Freiburg i. Brsg.  
E. Bassenge, Freiburg i. Brsg.  
D. H. Bergel, Oxford  
D. L. Brutsaert, Antwerpen  
E. Carmelit, Leuven  
K. Dietz, Tübingen  
K. A. P. Edman, Lund  
E. Gerlach, München  
J. P. Gilmore, Omaha  
W. Hasselbach, Heidelberg  
P. Heintzen, Kiel  
W. Hort, Düsseldorf  
K. J. Kako, Ottawa  
H. Kammermeier, Aachen  
W. Klaus, Köln  
F. Kölbels, Prague  
O. Kraupp, Wien  
W. Kübler, Heidelberg  
M. Lazdunski, Nizza  
B. Lewartowski, Warszawa  
P. Lichtlen, Hannover  
F. Loogen, Düsseldorf

F. Z. Meerson, Moscow  
M. Nagano, Tokyo  
M. I. M. Noble, Midhurst  
S. Onishi, Osaka  
P. A. Poole-Wilson, London  
J. C. Rüegg, Heidelberg  
G. Rona, Montreal  
W. Rutishauser, Genf  
M. C. Schaub, Zürich  
St. Schiaffino, Padua  
T. H. Schiebler, Würzburg  
K. Schwartz, Paris  
P. J. Schwartz, Mailand  
M. Siess, Tübingen  
V. N. Smirnov, Moscow  
L. Szekeres, Szeged  
H. A. Tritthart, Graz  
A. Trzebski, Warszawa  
N. Westerhof, Amsterdam  
A. Ziegelhöffer, Bratislava  
H.-G. Zimmer, München

---

## **Contents of Volume 82 (1987)**

---



**Steinkopff Verlag · Darmstadt**

# Contents of Volume 82 (1987)

## Editorial

Kenner T (Graz/Austria) Some comments of ventricular afterload . . . . .	209
--	-----

## Original Contributions

Arad M, Mahler Y, Rogel S, Uretzky G (Jerusalem/Israel) The effect of calcium concentration on spontaneous ventricular defibrillation and VF threshold . . . . .	405
Bonazzola P, Ponce-Hornos JE (Buenos Aires/Argentina) Effects of caffeine on energy output of rabbit heart muscle . . . . .	428
Bossaller C, Yamamoto H, Lichtlen PR, Henry PD (Hannover/F.R.G., Houston/Texas) Impaired cholinergic vasodilation in the cholesterol-fed rabbit in vivo . . . . .	396
Brilla C, Kissling G, Jacob R (Tübingen/F.R.G.) Significance of right ventricular filling for left ventricular enddiastolic pressure-volume relationship under acute hypoxia in the dog . . . . .	109
Budden M, Kirchengast M, Zhang KM, Meesmann W (Essen/F.R.G.) Effects of the calcium antagonist gallopamil on the increase of myocardial extracellular potassium activity during LAD occlusion in dogs . . . . .	279
Buss DD, Hennemann WW, Posner P (Gainesville/Florida) Maturation of coronary responsiveness to exogenous adenosine in the rabbit . . . . .	290
Choong YS, Humphrey SM (Auckland/New Zealand) Differences in the regional distribution and response to ischaemia of adenosine-regulating enzymes in the heart . . . . .	576
Das DK, Engelman RM, Flansaa D, Otani H, Rousou J, Breyer RH (Farmington, Connecticut/U.S.A.) Developmental profiles of protective mechanisms of heart against peroxidative injury . . . . .	36
Di Gennaro M, Bernabei R, Sgadari A, Carosella L, Carbonin PU (Rome/Italy) Age-related differences in isolated rat sinus node function . . . . .	530
Drexler H, Finkh M, Höing S, Toth M, Just H, Lang RE (Heidelberg/F.R.G.) Systemic and regional vascular effects of atrial natriuretic peptide in a rat model of chronic heart failure. . . . .	517
Dumont L, Trelles L, Chartrand C (Montreal, Québec/Canada) Decreased digitalis receptor activity in acute rejecting canine transplanted heart . . . . .	537
Duncan HW, Barnard RJ, Grimditch K, Vinten-Johansen J, Buckberg GD (Los Angeles/California) Cardiovascular response to sudden strenuous exercise . . . . .	226
Edes I, Piros G, Forster T, Csanady M (Szeged/Hungary) Alcohol-induced congestive cardiomyopathy in adult turkeys: effect on myocardial antioxidant defence systems . . . . .	551
Elimban V, Dhalla KS, Panagia V, Singal PK, Dhalla NS (Winnipeg/Canada) A biphasic change in contractile proteins during the development of cardiac hypertrophy in pigs . . . . .	1
Fiedler VB, Mardin M, Abram TS (Wuppertal/F.R.G.) Comparison of cardiac and hemodynamic effects of platelet-activating factor-acether and leukotriene D <sub>4</sub> in anesthetized dogs . . . . .	197
Freissmuth M, Nees S, Böck M, Schütz W (Vienna/Austria, Munich/F.R.G.) Binding of [ <sup>3</sup> H] ouabain to endothelial cells derived from various vascular beds . . . . .	544
van Gilst WH, Koomen JM (Utrecht/The Netherlands) Calcium repletion-induced arrhythmias after short periods of calcium-free perfusion in the isolated rat heart . . . . .	233
Grover GJ, Weiss HR (Piscataway, New Jersey/U.S.A.) Effect of complement depletion on O <sub>2</sub> supply and consumption in ischemic dog myocardium . . . . .	57
Henrichs KJ, Matsuoka H, Schaper J, Schaper W (Bad Nauheim/F.R.G.) Influence of repetitive coronary occlusions on myocardial adenine nucleosides, high energy phosphates and ultrastructure . . . . .	557
Herzig JW, Gerber W, Salzmann R (Basle/Switzerland) Heart failure and Ca <sup>++</sup> activation of the cardiac contractile system: hereditary cardiomyopathy in hamsters (BIO 14.6), isoprenaline overload in the effect of APP 201-533. . . . .	326
Hoffmann U, Axmann C, Palm N (Greifswald/G.D.R.) Atrial and ventricular myosins from human hearts. II. Isoenzyme distribution after myocardial infarction . . . . .	359



Hoffmann U, Siegert E (Greifswald/G.D.R.) Atrial and ventricular myosins from human hearts. I. Isoenzyme distribution during development and the adult . . . . .	348
Holmer SR, Riegger AJG, Notheis WF, Kromer EP, Kochsiek K (Würzburg/F.R.G.) Hemodynamic changes and renal plasma flow in early heart failure: implications for renin, aldosterone, norepinephrine, atrial natriuretic peptide and prostacyclin . . . . .	101
Humphrey SM, Cartner LA, Holliss DH (Auckland/New Zealand) Critical early metabolic changes associated with myocardial recovery or failure after total ischaemia in the rat . . . . .	304
Jongsma HJ, Masson-Pévet M, Tsjernina L (Amsterdam/The Netherlands) The development of beat-rate synchronization of rat myocyte pairs in cell culture . . . . .	454
Kainulainen H, Komulainen J, Takala T, Vihko V (Oulu/Finland) Regional glucose and protein synthesis in isolated perfused rat hearts immediately after training and later . . . . .	9
Kentera D, Sušić D, Veljković V, Zdravković M (Belgrade/Yugoslavia) Ouabain arrhythmogenicity in hypertrophied right and left ventricle of the rat . . . . .	241
Kutryk MJ, Pierce GN, Dhalla NS (Winnipeg/Canada) Alterations in heart and serum lysosomal activities in streptozotocin-induced diabetes . . . . .	271
Kwiatkowska-Patzer B, Zalewska T (Warsaw/Poland), Effect of propranolol on the activity of neutral, alkaline and acidic proteases in rat myocardium after aortic stenosis. . . . .	18
Marcus RH, Butkow N, Wheatley AM, Lippe I, Norton G, Rosendorff C (Johannesburg/South Africa) Independent mechanisms for the chronotropic and inotropic responses in hyperthyroidism . . . . .	261
Marjomäki VS, Salminen A (Jyväskylä/Finland) Characteristics of lysosomal phosphomannosyl-enzyme receptors in the rat heart . . . . .	252
Meerson FZ, Belkina LM, Sazontova TG, Saltykova VA, Arkhipenko YV (Moscow/USSR) The role of lipid peroxidation in pathogenesis of arrhythmias and prevention of cardiac fibrillation with anti-oxidants. . . . .	123
Mundiña de Weilenmann C, Vittone L, de Cingolani G, Mattiazzi A (La Plata/Argentina) Dissociation between contraction and relaxation: The possible role of phospholamban phosphorylation . . . . .	507
Muxfeldt M, Schaper W (Bad Nauheim/F.R.G.) The activity of xanthine oxidase in heart of pigs, guinea pigs, rabbits, rats, and humans . . . . .	486
Neely BH, Urthaler F, Smith LR (Birmingham/Alabama/U.S.A.), The effects of negative-chronotropic interventions on sinus node recovery time . . . . .	92
Nomura H, Ogawa S, Yasuma F, Hama Y, Futamura Y, Narita G, Sotobata I (Nagoya/Japan) The changes in regional myocardial surface area during coronary occlusion and reperfusion . . . . .	24
Øksendal AN, Jynge P (Trondheim/Norway) Tissue protection by adrenergic blockade in the calcium paradox? . . . . .	138
Pascale K, Weizsäcker HW (Graz/Austria), In situ study of active and passive mechanical properties of rat tail artery . . . . .	66
Pissarek M, Goos H, Nöhring J, Graff J, Buller G, Beyerdörfer I, Mest H-J, Lindenau KF, Krause E-G (Leipzig, Halle, Berlin/G.D.R.) Prostacyclin and iloprost: Equal efficiency in preserving high energy phosphates in the dog heart following coronary artery ligation . . . . .	566
Podzuweit T, Braun W, Müller A, Schaper W (Bad Nauheim/F.R.G.), Arrhythmias and infarction in the ischemic pig heart are not mediated by xanthine oxidase-derived free oxygen radicals . . . . .	493
Prinzen FW, Alewijnse R, van der Vusse GJ, Kruger RTI, van de Nagel T, Reneman RS (Maastricht/The Netherlands) Coronary artery stenosis controlled by distal perfusion pressure: Description of the servo-system and time-dependent changes in regional myocardial blood flow . . . . .	375
Przyklenk K, Kloner RA (Detroit, Michigan/U.S.A.) Effect of oxygen-derived free radical scavengers on infarct size following six hours of permanent coronary artery occlusion: salvage or delay of myocyte necrosis? . . . . .	146
Rafael J, Patzelt J (Heidelberg/F.R.G.) Binding of diltiazem and verapamil to isolated rat heart mitochondria . . . . .	246
Reimer KA, Long JB, Murry CE, Jennings RB (Durham/Noth Carolina) Three-dimensional distribution of collateral blood flow within the anatomic area at risk after circumflex coronary artery occlusion in dogs. . . . .	473
Sadick N, McHale PhA, Dube GP, Greenfield Jr. JC (Durham/U.S.A.) Demonstration of coronary artery myogenic vasoconstriction in the awake dog . . . . .	585
Scheuffler E, Peters T (Neuss/F.R.G.) Determination of the extracellular space with nonradioactive Co <sup>3+</sup> EDTA and simultaneous estimation of Na, K, Ca, and Mg contents in isolated guinea-pig heart preparations by atomic absorption spectrometry . . . . .	341

Schipke J, Heusch G, Schulz R, Thämer V (Düsseldorf/F.R.G.) An easy and quick implantation procedure for the measurement of myocardial wall thickness using sonomicrometry . . . . .	411
Schneditz D, Kainz T, Moser M, Kenner T (Graz/Austria) Influence of tonicity on the viscoelastic properties of blood during isovolemic dilution . . . . .	388
Sjöquist P-O, Duker G, Hirsch I (Mölnal/Sweden) Effects of nifedipine on collateral blood flow at the lateral border of the acutely ischemic myocardium . . . . .	51
Stark G, Huber U, Hofer E, Tritthart HA (Graz/Austria) Continuous ECG measurements of intracardiac activity from the surface of Langendorff-perfused guinea-pig hearts. . . . .	437
Steinmann CML, Lochner A, Niesler RA (Tygerberg/South Africa) Inhibition of contractility during the early phase of total ischaemia in the working heart. Recovery during reperfusion. .	297
Takeda N, Ohkubo T, Nakamura I, Suzuki H, Nagano M (Tokyo/Japan) Mechanical catecholamine responsiveness and myosin isoenzyme pattern of pressure-overloaded rat ventricular myocardium . . . . .	370
Timisjärvi J, Kettunen R, Rämö P (Oulu/Finland) Mean outflow resistance as a marker of left ventricular afterload . . . . .	216
Vanionpää V, Timisjärvi J (Oulu/Finland) Spontaneous oscillation of the systematic arterial pressure during cardiopulmonary bypass in man. The effects of some drugs used during the operation. . . . .	178
Vedernikov YP, Gräser T, Tiedt N (Moscow/USSR) Is there an abluminal release of endothelium-derived relaxing factor (EDRF)? . . . . .	172
Végh A, Szekeres L, Udvary É (Szeged/Hungary) Effect of the blood supply to the normal noninfarcted myocardium on the incidence and severity of early postocclusion arrhythmias in dogs . . . . .	159
Ver Donck L, Guo-Shu Liu, Vandeplasse G, Borgers M (Beerse/Belgium, Beijing/China) Effects of lidoflazine and mioflazine against potassium and veratrine induced shape changes in isolated rat cardiac myocytes . . . . .	74
Vierling W, Seibel K, Reiter M (Munich/F.R.G.) Voltage-dependent calcium release in guinea-pig cardiac ventricular muscle as antagonized by magnesium and calcium . . . . .	415
Vornanen M (Joensuu/Finland) Postnatal changes in the inotropic effect of ouabain on the rat heart ventricle . . . . .	82
Waris T, Lätteenmäki T, Hukki J, v. Smitten K, Kyösola K (Oulu, Helsinki/Finland) Congruence of adrenergic and cholinergic intrinsic innervation of human and rat atria . . . . .	445
Wu AP, Gilmore JP (Omaha/Nebraska) Lack of evidence for a cerebral sodium modulation mechanism in the monkey . . . . .	319
Yanagisawa A, Lefer AM (Philadelphia/U.S.A.) Vasoactive effects of eicosapentaenoic acid on isolated vascular smooth muscle . . . . .	186

## Letters to the Editors

Karádi I, Romics L, Kempler P, Balogh I, Szilvási I, Littmann L (Budapest/Hungary) HDL protection against atherogenic LDL? . . . . .	596
Schaefer J, Lie RK, Kenner T, Franz M, Schaffner KF, Burkhoff D, Sagawa K, Yue DT (Bad Orb/F.R.G., Minneapolis/Minnesota, Graz/Austria, Stanford/California, Pittsburgh/Pennsylvania, Baltimore/Maryland) A place for theoretical cardiology. . . . .	317

Author Index to Volume 82 (1987) . . . . .	598
--	-----

Subject Index to Volume 82 (1987) . . . . .	600
---	-----

## Supplement appeared in 1987

H. Stam, G. J. van der Vusse (eds.) Lipid metabolism in the normoxic and ischaemic heart
R. Jacob, Hj. Just, Ch. Holubarsch (eds.) Cardiac Energetics – Basic Mechanisms and Clinical Implications